



PRODUCT REFERENCE & PRICE GUIDE

# Sheer Shadings

COLLECTION

May 2, 2016

Prices subject to change without notice.

## SHEER SHADINGS FEATURES & BENEFITS

- Horizontal fabric vanes float between two layers of soft, knitted fabric sheers, to soften your view outside with a choice of fabrics.
- All Sheer fabric vane colors are featured between two layers of sheer fabric.
- Available to widths of 120" and drops to 120" to provide visual elegance to the widest of windows.
- Vanes glide from open to closed to "out of sight" with elegant hardware.
- Four distinctly different variations of vane positions for numerous combinations of privacy, view and light control.
- An adjustable weight system hidden in the bottom rail end caps allows for on-the-spot skew adjustment for a balance appearance in the window.
- One headrail style to maintain your sophisticated look. Headrail is white or bronze with color-coordinated fabric insert.
- Low side light gap provides minimal light leakage on shading sides and above the headrail for increased privacy.
- Easy to install hardware and brackets allows for effortless installations and easy removal for cleaning.
- May be ultrasonically or traditionally cleaned to stay bright and beautiful.
- Lifetime Limited Warranty as a commitment to your satisfaction.
- Sheer fabrics may be processed with a topical treatment to resist flames and to adhere to strict flammability codes. For more information, contact your fabricator.

## TABLE OF CONTENTS

Sheer Shadings Features & Benefits.....	2
2", 2½" & 3" Vane Price Grids .....	3-5
Motorized Sheer Shades .....	6
Sheer Shadings Product Specifications .....	7
Design & Operation .....	8-9
Measuring Instructions .....	10
Child Safety & Caring for Shades .....	11
Policies & Warranty Information .....	11

PRICE GROUP 1		SHEER 2" VANE : Light Filtering Fabrics												
Height To:	Width	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"
	36"	579	653	730	798	873	949	1019	1095	1282	1438	1591	1927	2246
	42"	614	691	769	852	931	1016	1095	1174	1368	1536	1695	2069	2387
	48"	649	732	818	902	990	1078	1172	1262	1458	1634	1810	2215	2532
	54"	675	766	861	956	1053	1146	1251	1353	1546	1731	1937	2424	2742
	60"	705	810	907	1007	1108	1219	1327	1439	1630	1842	2064	2592	2910
	66"	736	848	955	1062	1174	1292	1415	1531	1718	1958	2196	2756	3074
	72"	769	886	1001	1114	1240	1368	1493	1620	1810	2069	2325	2935	3254
	78"	790	917	1037	1164	1293	1429	1561	1697	1896	2173	2441	3083	3401
	84"	823	955	1079	1224	1361	1502	1650	1791	1995	2290	2571	3242	3560
	90"	857	990	1131	1279	1428	1583	1728	1879	2090	2399	2702	3418	3735
	96"	889	1033	1177	1336	1493	1650	1806	1964	2188	2512	2829	3589	3907
	102"	1019	1181	1343	1519	1680	1832	2049	2248	2405	2736	3050	3689	3977
	108"	1074	1241	1415	1600	1766	1933	2153	2367	2532	2873	3212	3884	4202
114"	1140	1317	1500	1695	1879	2054	2284	2511	2686	3050	3403	4120	4439	
120"	1224	1411	1611	1816	2005	2196	2441	2686	2875	3267	3645	4409	4727	

\* For Motorization Surcharges see page 6.

PRICE GROUP 2		SHEER 2" VANE : Room Darkening Fabrics												
Height To:	Width	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"
	36"	639	718	803	877	958	1045	1120	1203	1411	1583	1744	2118	2440
	42"	677	762	844	938	1024	1116	1203	1292	1504	1690	1867	2275	2593
	48"	713	804	902	990	1091	1186	1287	1389	1604	1798	1993	2440	2758
	54"	741	843	947	1054	1155	1262	1375	1487	1699	1904	2131	2668	2986
	60"	774	890	997	1108	1219	1340	1458	1584	1792	2026	2269	2852	3170
	66"	809	931	1053	1170	1291	1423	1556	1685	1887	2154	2415	3029	3347
	72"	844	977	1102	1226	1365	1504	1641	1783	1993	2275	2557	3226	3544
	78"	871	1008	1141	1280	1424	1572	1717	1868	2083	2389	2681	3392	3710
	84"	906	1053	1189	1343	1498	1652	1815	1966	2194	2515	2828	3564	3882
	90"	945	1091	1242	1407	1571	1738	1900	2066	2299	2639	2972	3760	4078
	96"	979	1138	1294	1468	1641	1816	1990	2160	2408	2764	3111	3949	4267
	102"	1121	1301	1480	1671	1849	2018	2250	2473	2646	3008	3355	4060	4378
	106"	1183	1367	1556	1758	1942	2127	2368	2603	2784	3160	3529	4271	4589

\* For Motorization Surcharges see page 6.

**SHEER SHADINGS SPECIFICATIONS**

**Light Filtering Fabrics:**  
The light filtering fabrics feature vanes that add dimension to any room.

Minimum Width: 12"  
Minimum Height: 12"

Maximum Width: 120"  
Maximum Height: 120"

**Room Darkening Fabrics:**  
The room darkening fabrics feature vanes that provide light control and privacy.

Minimum Width: 12"  
Minimum Height: 12"

Maximum Width: 120"  
Maximum Height: 106"

PRICE GROUP 3		SHEER 2 ½" VANE : Light Filtering Fabrics													
Height To:	Width	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"	
	36"	608	685	766	837	917	997	1070	1150	1346	1510	1664	2023	2359	
	42"	644	725	807	895	978	1067	1150	1233	1436	1613	1780	2172	2507	
	48"	682	768	859	947	1040	1132	1230	1325	1531	1716	1901	2325	2659	
	54"	709	805	904	1004	1105	1204	1314	1421	1623	1818	2034	2545	2880	
	60"	740	850	952	1057	1164	1280	1393	1511	1711	1935	2167	2722	3055	
	66"	773	890	1002	1115	1233	1357	1485	1607	1804	2056	2305	2894	3228	
	72"	807	930	1052	1170	1302	1436	1567	1701	1901	2172	2441	3082	3417	
	78"	829	963	1089	1222	1358	1501	1639	1781	1991	2282	2563	3238	3571	
	84"	864	1002	1133	1285	1429	1577	1732	1881	2095	2405	2700	3404	3739	
	90"	899	1040	1187	1343	1499	1662	1814	1973	2194	2519	2838	3588	3922	
	96"	933	1084	1236	1402	1567	1732	1896	2062	2297	2638	2971	3769	4102	
	102"	1070	1240	1411	1595	1764	1924	2151	2360	2525	2873	3202	3874	4276	
	108"	1128	1303	1485	1680	1854	2029	2261	2485	2659	3017	3372	4079	4413	
114"	1197	1383	1576	1780	1973	2157	2398	2636	2820	3202	3573	4327	4662		
120"	1285	1482	1691	1907	2105	2305	2563	2820	3019	3431	3827	4629	4965		

\* For Motorization Surcharges see page 6.

PRICE GROUP 4		SHEER 2 ½" VANE : Room Darkening Fabrics													
Height To:	Width	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"	
	36"	671	754	843	921	1006	1097	1175	1263	1482	1662	1832	2223	2562	
	42"	711	800	887	985	1075	1172	1263	1357	1579	1774	1960	2388	2722	
	48"	749	844	947	1040	1145	1246	1351	1459	1684	1888	2092	2562	2896	
	54"	778	885	994	1106	1213	1325	1443	1561	1784	1999	2238	2801	3135	
	60"	813	934	1046	1164	1279	1407	1531	1663	1882	2182	2382	2994	3329	
	66"	849	978	1105	1228	1356	1494	1634	1770	1981	2262	2536	3180	3515	
	72"	887	1026	1157	1288	1433	1579	1723	1873	2092	2388	2684	3387	3721	
	78"	915	1059	1198	1344	1495	1650	1802	1961	2187	2509	2815	3562	3895	
	84"	951	1105	1248	1410	1573	1735	1905	2064	2304	2641	2970	3742	4076	
	90"	992	1145	1304	1477	1649	1825	1995	2170	2414	2771	3121	3948	4282	
	96"	1028	1195	1359	1542	1723	1907	2089	2268	2529	2902	3267	4146	4481	
	102"	1177	1366	1554	1754	1942	2119	2363	2597	2778	3158	3523	4263	4598	
	106"	1242	1435	1634	1846	2039	2233	2487	2733	2923	3318	3705	4484	4819	

\* For Motorization Surcharges see page 6.

## SHEER SHADINGS SPECIFICATIONS

### Light Filtering Fabrics:

The light filtering fabrics feature vanes that add dimension to any room.

Minimum Width: 12"  
Minimum Height: 12"

Maximum Width: 120"  
Maximum Height: 120"

### Room Darkening Fabrics:

The room darkening fabrics feature vanes that provide light control and privacy.

Minimum Width: 12"  
Minimum Height: 12"

Maximum Width: 120"  
Maximum Height: 106"

PRICE GROUP 5		SHEER 3" VANE : Light Filtering Fabrics													
Height To:	Width	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"	
	36"	652	732	818	893	976	1065	1141	1226	1438	1613	1778	2158	2476	
	42"	690	776	860	956	1043	1137	1226	1317	1532	1722	1903	2318	2636	
	48"	727	820	919	1009	1111	1209	1311	1416	1635	1832	2031	2486	2804	
	54"	755	859	965	1074	1177	1286	1401	1515	1731	1940	2172	2719	3037	
	60"	789	907	1016	1129	1242	1366	1486	1614	1826	2065	2312	2906	3224	
	66"	824	949	1073	1192	1316	1450	1586	1718	1923	2195	2461	3087	3404	
	72"	860	996	1123	1250	1391	1532	1672	1817	2031	2318	2605	3287	3606	
	78"	888	1027	1162	1304	1451	1602	1749	1904	2123	2435	2732	3457	3775	
	84"	923	1073	1211	1369	1527	1683	1849	2004	2236	2563	2882	3631	3950	
	90"	963	1111	1266	1434	1601	1771	1937	2106	2343	2689	3029	3831	4149	
	96"	998	1160	1319	1496	1672	1850	2027	2201	2454	2816	3171	4024	4342	
	102"	1142	1326	1509	1703	1884	2057	2293	2520	2696	3065	3419	4138	4456	
	108"	1206	1393	1586	1791	1979	2167	2413	2653	2837	3220	3596	4352	4564	
	114"	1277	1479	1681	1903	2106	2302	2559	2814	3012	3419	3816	4617	4935	
120"	1369	1584	1803	2035	2251	2461	2736	3012	3222	3662	4087	4944	5262		

\* For Motorization Surcharges see page 6.

PRICE GROUP 6		SHEER 3" VANE : Room Darkening Fabrics													
Height To:	Width	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"	
	36"	717	805	900	983	1074	1173	1254	1350	1582	1775	1954	2375	2693	
	42"	758	854	947	1052	1148	1252	1350	1447	1686	1895	2092	2551	2869	
	48"	798	901	1011	1111	1220	1329	1442	1556	1797	2016	2233	2733	3052	
	54"	830	946	1060	1181	1295	1414	1542	1668	1905	2134	2390	2991	3309	
	60"	868	999	1119	1243	1366	1502	1635	1777	2009	2271	2544	3195	3514	
	66"	907	1044	1179	1311	1447	1594	1744	1889	2116	2416	2706	3395	3713	
	72"	947	1094	1235	1375	1528	1686	1840	1998	2233	2551	2865	3617	3935	
	78"	976	1131	1279	1435	1595	1762	1923	2094	2336	2679	3006	3802	4119	
	84"	1015	1179	1333	1508	1680	1854	2034	2205	2460	2820	3169	3995	4463	
	90"	1058	1220	1393	1577	1761	1949	2130	2316	2578	2958	3331	4215	4533	
	96"	1097	1276	1452	1646	1840	2035	2229	2422	2699	3099	3489	4428	4746	
	102"	1255	1458	1660	1873	2073	2261	2523	2771	2966	3370	3762	4552	4871	
	106"	1326	1531	1744	1971	2177	2383	2655	2919	3121	3543	3957	4787	5105	

\* For Motorization Surcharges see page 6.

**SHEER SHADINGS SPECIFICATIONS**

**Light Filtering Fabrics:**

The light filtering fabrics feature vanes that add dimension to any room.

Minimum Width: 12"  
Minimum Height: 12"

Maximum Width: 120"  
Maximum Height: 120"

**Room Darkening Fabrics:**

The room darkening fabrics feature vanes that provide light control and privacy.

Minimum Width: 12"  
Minimum Height: 12"

Maximum Width: 120"  
Maximum Height: 106"

PRICE GROUP 7		VERTICAL SHEER SHADINGS : Light Filtering Fabrics																	
Height To:	Width	24"	36"	48"	54"	60"	66"	72"	78"	84"	90"	96"	108"	120"	132"	144"	156"	174"	192"
	48"	836	1034	1216	1302	1397	1517	1612	1698	1802	1931	2043	2207	2638	2914	3121	3310	3612	3914
	60"	922	1155	1371	1474	1595	1741	1845	1948	2069	2216	2353	2543	2991	3293	3509	3724	4052	4379
	72"	1009	1302	1578	1707	1845	2009	2138	2267	2405	2578	2733	3147	3655	4017	4293	4578	4983	5414
	84"	1078	1414	1759	1897	2052	2241	2379	2526	2681	2862	3034	3293	3819	4190	4474	4767	5198	5638
	96"	1164	1526	1853	2009	2172	2362	2517	2681	2836	3043	3224	3569	4121	4526	4836	5155	5629	6112
	108"	1388	1828	2250	2457	2698	2957	3164	3371	3578	3819	4043	4388	4922	5328	5647	5966	6448	6940
	120"	1560	2052	2552	2793	3103	3414	3647	3897	4138	4414	4655	5069	5560	5966	6284	6603	7078	7560

\* Split Stack Surcharge: \$380

PRICE GROUP 8		VERTICAL SHEER SHADINGS : Room Darkening Fabrics																	
Height To:	Width	24"	36"	48"	54"	60"	66"	72"	78"	84"	90"	96"	108"	120"	132"	144"	156"	174"	192"
	48"	1000	1241	1457	1560	1672	1828	1931	2034	2155	2310	2457	2647	3164	3500	3741	3974	4336	4698
	60"	1112	1388	1647	1776	1914	2095	2216	2345	2483	2655	2828	3052	3595	3948	4207	4474	4862	5259
	72"	1207	1569	1897	2043	2216	2405	2569	2716	2888	3095	3276	3776	4388	4828	5147	5491	5983	6500
	84"	1293	1698	2103	2276	2466	2690	2853	3034	3216	3440	3647	3948	4578	5026	5371	5724	6241	6767
	96"	1397	1836	2224	2405	2603	2836	3026	3216	3405	3655	3871	4284	4948	5431	5802	6190	6759	7336
	108"	1664	2190	2698	2948	3241	3552	3793	4052	4293	4586	4853	5259	5905	6388	6776	7155	7741	8328
	120"	1871	2466	3060	3345	3724	4095	4379	4672	4974	5302	5595	6086	6681	7155	7543	7922	8491	9069

\* Split Stack Surcharge: \$380

## VERTICAL SHEER SHADINGS SPECIFICATIONS

Minimum Width: 12"  
 Minimum Height: 24"

Maximum Width: 192"  
 Maximum Height: 120"

\*For full product specifications, please see Vertical Sheer Shadings Reference Guide. This and other outsourced products require deposit. Please call customer service for more information.  
 All shipping charges will be applied to invoice.



# MOTORIZED SHEER SHADES

Sheer shades are motorized with a radio frequency system that can be operated with several control options. Enhanced safety design eliminates cords.



### battery pack:

Battery life will vary depending on type of covering, the size and weight of the window covering and the number of times you operate the shade daily.

Eight lithium batteries are included with the wand. Recommended replacement batteries are Energizer® AA lithium. These are commonly found in home improvement centers, grocery and hardware stores. Batteries are not covered by warranty.



### RTS system wireless timer with sun sensor:

The RTS System Wireless Timer with Sun Sensor has identical features to the RTS System Wireless Timer, but can also be programmed to raise and lower your shades according to the intensity of incoming sunlight.

Overall Dimensions:  
Height: 3 1/8"  
Width: 3 1/8"  
Depth: 1"

Two 1.5v DC (AAA) batteries are included in your order.



### RTS 5 channel remote:

The 5 Channel Remote can operate up to five shades or groups of shades individually. The remote utilizes one 3V lithium battery and is included with your order.

### DC power supply:

12 Volt DC Power Supply is available and requires a standard power outlet to run the shade's motor. The power supply plugs into the motor.

### battery operated motorized shade warranty:

The fabricator warrants its motor to be free from defects in material and workmanship under normal and proper use for a period of 5 years starting from the date stamped on the motor. Mechanical, electrical and electronic accessories are warranted 1 year from the invoice date.

### Surcharges: - Only standard discounts apply. (50/40)

Motor Surcharge..... \$828

### Battery Wand Upgrades:

48" Extension Wire..... \$33  
96" Extension Wire..... \$46

### Remote:

RTS 1 or 5 Channel Remote. ....\$323

### Wireless Wall Switches:

RTS 5 Channel Wall Switch - White..... \$552  
RTS 5 Channel Wall Switch - Ivory..... \$552

### Timers:

RTS Wireless Timer..... \$588  
RTS Wireless Timer with Sun Sensor ..... \$889

### DC Power Supply:

12 Volt DC Power Supply ..... \$252

Note that all standard discounts apply to the lift system options. The motor surcharge includes a standard 12 volt battery wand with eight AA lithium batteries. The remote's wall switches and timers are sold separately and can be used in conjunction with one another.

\* Above Surcharges Discount is 50/40\*



### 5 channel wall switch option:

The RTS System has a wall switch option to operate the shades. The 5 Channel Switch can operate up to five shades or groups of shades individually. The switch is easy to install with a standard single gang electrical box and does not require any wiring.

Overall Dimensions:  
Height: 4 1/2"  
Width: 2 3/4"  
Depth: 1 1/4"

One 3V lithium battery is included in your order. Specify white or ivory when ordering.



### RTS system wireless timer:

The RTS System Wireless Timer allows you to set specific times for your shades to be raised and lowered. The Timer can be programmed to operate at the same time or different times each day. The Wireless Timer also features a security function that will raise and lower shades randomly to give the impression of an occupied home. Commands are transmitted via radio frequency so external wiring is not necessary.

Overall Dimensions:  
Height: 3 1/8"  
Width: 3 1/8"  
Depth: 1"

Two 1.5v DC (AAA) batteries are included in your order.

SHEER SHADINGS PRODUCT SPECIFICATIONS

HEADRAIL

Ultra Sleek Plus Headrail (figure A):

- Available on all sheer shades
- White or bronze aluminum with a color coordinated fabric insert

Minimum Flush Inside Mount with Install Brackets .....	3 3/4"
Minimum Shallow Mounting Surface.....	3/4"
Minimum Side Mounting Surface.....	1 1/4"
Maximum Shade Width Side Mount.....	48"
Minimum Outside Mounting Surface.....	3/4"

CORD INFORMATION

Braided polyester cord styles will measure the height indicated below unless otherwise specified.

<b>Shade Height:</b>	<b>Standard Loop:</b>
12" - 36"	2' (24")
36" - 48"	3' (36")
48" - 72"	4' (48")
72" - 96"	5' (60")
96" - 120"	6' (72")
120" - 132"	7' (84")

Maximum Cord Heights:

For hard-to-reach or high windows, cords can be ordered in one foot increments up to 15 feet in length.

Child Safety

Our Sheer Shadings are designed with child safety as a priority. To reduce the risk of strangulation, our fabrication methods incorporate features to comply with the current ANSI cord safety standard. Fabrication methods include tension devices.

For Sheer Shadings made with a clutch operating system, our tension device is designed and is to be placed and shipped, so that unless it is properly installed (or altered from the shipped condition with sequential process or tools), it prevents the shade from operating. The tension device, once installed, can help prevent children from pulling cords around their necks.



cord tensioner




figure A

FINISHED DIMENSIONS

Once ordered and manufactured, the width of the fabric cannot be altered. Your fabricator makes deductions to the width of Sheer Shadings depending on the type of mounting indicated. For all mounting types, fabric will measure exactly the height ordered when the vanes are in the open or "view-through" position.

- |                   |   |
|-------------------|---|
| Inside Mount:     | <ul style="list-style-type: none"> <li>• Headrail will measure ordered width less 3/16"</li> <li>• Fabric will measure ordered width less 1 1/8"</li> </ul>   |
| Side (End) Mount: | <ul style="list-style-type: none"> <li>• Headrail will measure ordered width less 1 1/16"</li> <li>• Fabric will measure ordered width less 1 5/8"</li> </ul> |
| Outside Mount:    | <ul style="list-style-type: none"> <li>• Headrail will measure ordered width plus 3/16"</li> <li>• Fabric will measure ordered width minus 3/4"</li> </ul>    |

Headrail measurements include endcaps. Width and height measurements may vary +/- 1/8".

## DESIGN & OPERATION

### Fabric Collections:

Sheer shades are available with three different fabric vane sizes: 2", 2 ½" and 3". Light filtering fabric gently filters light while room darkening casts deep room darkening shadows. Please note that room darkening is not a blackout fabric.

### Shade Operation:

Sheer shades feature the Continuous Cord System or the Motorized System. Both Systems provide the ability to manipulate the shade into various viewing positions. From the closed and retracted position (fabric inside the headrail), lower the fabric by pulling down on the rear of the loop cord until you reach the desired shading position or press the down arrow of the remote control. Once lowered completely to the window sill, continuing to pull the cord in the same direction, or pressing the down arrow on the remote control, will open the horizontal fabric vanes, offering varied views to the outside. To retract the shading, simply pull down on the front of the cord, or press the up arrow of the remote control, until the shade reaches the desired viewing mode or fabric position.

### Viewing Options:

Sheer Shadings provide a number of varied views to the outside for controlling light and privacy. Consequently, there are variations in visibility through the shades when the vanes are tilted to their maximum open positions. The following four modes can be obtained with standard shading operation when viewing the shading at eye level.

- Closed top, open bottom - By partially lowering the shade from the fully raised position, the upper portion of your window will become semi-opaque while allowing a clear view below.
- Fully private - When lowered completely, the shade provides complete privacy and softly diffuses light.
- Partially open - Opening the shade slightly will gradually increase the level of light and allow varying levels of "view-through."
- View-through when lowered - By completely opening the vanes, the shade provides a softened, veiled view to the outside.




figure B

### Vane Closure (figure B):

Sheer shade fabric vanes overlap and provide privacy when closed. However, the inherent nature of the fabric will cause a slight increase in the distance from the front sheer to back sheer as you move further down the shade. These vanes do not form a perfect seal against light leakage which is most visible toward the bottom of the shade.

Vane closure is measured as the distance between the front and rear fabric sheers 6" up from the lowest point of the bottom rail, with the shade fully lowered and the vanes closed. For sheer shades, the maximum distance from the front sheer to the back sheer when closed is 7/8". On room darkening fabrics, the distance is 5/8". Vane closure on all 3" fabrics will have a distance of 1"

### Side-by-Side Alignment:


When sheer shades are installed side-by-side, vane alignment can be guaranteed within 1/4" only if:

- The shades are the same color and ordered at the same time.
- The sum total of the widths of all shades needing alignment is less than 102".
- Side-by-side lineup must be specified when the order is placed.

DESIGN & OPERATION (continued)

Vane Opening:

Vanes on the six styles of sheer shade fabrics open to slightly different degrees. Consequently, there are variations in visibility through the shades when the vanes are tilted to their maximum open positions. The variations among the products are shown in the illustration to the right, when looking through the shading 1/4 of the way up from the bottom.



Hardware:

Hold Down Brackets

Hold down brackets are made of a clear plastic which fit into holes in the end cap of the bottom rail. Hold downs are generally used to secure the bottom of the sheer shade to prevent swaying.

Extension Brackets

Extension or "L" brackets are available which can be used to project the back of the shade 4 1/4" from the mounting surface.

Spacer Blocks

Spacer blocks project the shade 3/8" from the mounting surface. Use spacer blocks to obtain clearance when obstructions, such as window cranks or door handles, obstruct the movement of the shade.

Cord Tensioner:

The cord tensioner keeps the cord taut to prevent children and pets from entangling and subsequently injuring themselves. Cord tensioners must be used for this product to comply with the Consumer Product Safety Commission (CPSC) Child Safety guidelines.

Leveling Sheer Shadings:

Sheer shades are leveled and weighted in the factory. When installed level, the fabric will not skew when raised. If the headrail is not installed level, skewing can occur that can damage the edge of the fabric. Be sure to follow the installation instructions carefully to ensure correct and balanced operation.

Skew Adjusting Bottom Rail: (See drawing to right)

After installation, windows that are not square and level may cause the shadings to shift to one side as it rolls up, requiring adjustment of the bottom rail. Bottom rail end caps are weighted with two weights on each side. Remove end cap from rail on finished shade. Weights are added or removed to adjust skewing. Add weight to the side the fabric shifts to, or remove weight from the opposite side.

Note: 2", 2 1/2" and 3" vanes both utilize the 2" skew adjusting bottom rail.

Height Considerations (figure D):

Your fabricator will fabricate your sheer shade to the exact height ordered, when the vanes are in the closed position. When the vanes are rotated to the open position, the shade will become slightly longer.





figure D

When opened on an inside mount, the shading will be slightly longer than the ordered length. A slight puckering may occur when the vanes are in the open position. Rotating the vanes closed will cause the bottom rail to touch the window sill before it begins to raise.



## MEASURING INSTRUCTIONS

Precise width and height measurements are critical. Fabric width cannot be altered after the shading is fabricated. Please use a metal tape measure for accuracy from home to factory.

The headrail must be installed perfectly level and installed evenly to ensure smooth operation. On an inside mount, it is recommended that you check to see that the mounting surface is level and consistent. If your soffit needs to be leveled, this should be done before measuring.

### INSIDE MOUNT

Measure across the width of your window opening in three different places - top, middle and bottom. Measurements should be taken within the window jamb. Provide the smallest of the three measurements to your fabricator. Be exact. Your fabricator will make the necessary deductions to fit the window opening.

Measure the height of the window opening from the underside of the soffit to the surface of the window sill in two places - use the smallest of these two measurements.

### SIDE MOUNT



Sheer shades may be side mounted using "L" brackets. For side mounts, follow the instructions for inside mounts. An additional 1/2" will be taken off the standard inside mount deduction to allow room for the "L" brackets.

The maximum shade width utilizing the side mount option is 48".

### OUTSIDE MOUNT

Measure the exact width and height of the area to be covered. On the width, allow at least 1 1/2" of an overlap on each side. An overlap of 3" on each side is recommended.

Be sure to take into consideration any obstructions such as window trim, molding, locks and window cranks.



## CHILD SAFETY

Our Sheer Shadings are designed with child safety as a priority. To reduce the risk of strangulation, our fabrication methods incorporate features to comply with the current ANSI cord safety standard. Fabrication methods include tension devices.



## CARING FOR SHADES

The soft, delicate feel of the fabric belies the durability of the material. It is made from a sturdy, knitted polyester fabric which can be feather dusted or vacuumed at a low setting. Spots or stains can be lightly rubbed clean with a damp sponge and mild soap. To avoid discoloration of the material, we recommend against the use of chemical cleaners. The sheer fabric may also be ultrasonically cleaned.

Important: Do not clean the fabric using electrostatic wipes such as Swiffer® or Pledge Grab-It®.



## POLICIES & WARRANTIES

### Sheer Fabric

Knitted fabric may experience minor weave variations due to heat, humidity and other room conditions. These variations can result in light bowing, puckering and dimpling of the material. This is considered normal and does not constitute a failure in either workmanship or materials. The possible variations are minor and have been shown through case study, not to detract from the beauty of the product.

### Polyester Cord

Unlike its bead chain counterpart, the braided polyester cord does not have a "reverse roll" stop. If a shade with a braided polyester cord is raised above 24" in the "reverse roll" mode, there is a possibility of the fabric rubbing on the headrail. Your fabricator reserves the right NOT to warrant wear and tear of fabric if damaged by roll-up in excess of 24".

### Battery Operated Motorized

The manufacturer warrants its motors to be free from defects in material and workmanship under normal and proper use for a period of five years starting from the date stamped on the motor. Mechanical, electrical and electronic accessories are warranted for one year from date of invoice.

### Limited Lifetime Warranty

The manufacturer warrants that Sheer Shadings will be free from defects in materials and workmanship for as long as the original purchaser owns the product, provided that the product was installed properly and in accordance with the installation instructions. This limited lifetime warranty is extended to the original purchaser only, in the original window for which it was intended. This warranty does not include any conditions or damages resulting from accidents, alterations, misuse, or failure to follow printed instructions on installation, cleaning and care, or repairs. This warranty also does not cover conditions resulting from normal wear and tear. Cords are considered a wearable part and carry a three year limited warranty. All fabric, including fabric vanes, panels, inserts, and shades carry a five year warranty. To obtain

service, contact the dealer from whom you purchased the product. The manufacturer will work with the dealer to repair or replace defective parts or components with similar or like parts at no charge. THIS WARRANTY IS EXCLUSIVE AND IN LIEU OF ALL OTHER OBLIGATIONS, LIABILITIES OR WARRANTIES. In no event shall Turnils or its licensed fabricators or distributors be liable for INCIDENTAL OR CONSEQUENTIAL DAMAGES, or for any other damage, loss or expense, cost or fee associated with such damage. In some states, exclusions for incidental or consequential damages are not allowable. This warranty gives you specific legal rights, and you may have additional rights that vary from state to state.

### Conditions of Sale

All products are custom fabricated to your exact specifications. We cannot accept responsibility for errors in ordering or cancellations and changes after the order is in production.

### Policies

Our policies are designed to provide a guide for doing business with your fabricator. Our first priority and number one policy is to provide the highest level of service and total satisfaction.

### Freight

On orders for fabricated Sheer Shadings, our standard policy is to ship freight free via UPS Ground or other similar method within the continental US. The manufacturer reserves the right to select another carrier, modify shipping terms or change freight policies without notice.

### Service and Repair

Service may be obtained by contacting our Customer Service Department. No products, parts, components or other materials will be authorized for return or repair without prior approval from the manufacturer. A Return Authorization (RA) may be obtained by contacting our Customer Service Department. In order to provide the quickest service possible, please have your Work Order number and original order information available when you call.