



# ALUMINUM BLIND COLLECTION

June 2024

Product Reference & Price Guide

Prices subject to change without notice.

---

# TABLE OF CONTENTS

---

## Features And Options

- Color Chart.....2

## Pricing Information

- Price Chart and Option Charges..... 3-5

## Product Information

- Features and Options.....6
- Product Specifications .....7

### **Oversize Common Carrier Delivery**

All orders with any quantity of shades or blinds or any continuous valance 90" or more in width are considered oversize. Therefore, a net shipping charge per oversized unit will be assessed.

Oversized orders that require expedited shipping will be quoted and charged accordingly.

Please see General Information for additional freight and shipping charge information.

---

# TERMS OF SALE & FREIGHT / REPAIR CHARGES

---

## PRICE QUOTATION

All prices subject to change without notice.

We encourage use of the online ordering system. Contact customer service if you need the online ordering system activated for your account. Orders may also be emailed to [sales@oxford-house.com](mailto:sales@oxford-house.com) faxed to 765-884-3274 or placed via phone 800-533-9464.

## CANCELLATION OR CHANGE ORDER

IMPORTANT! Due to the custom nature of our products, we cannot accept changes or cancellations after orders have been put into production.

## LEAD TIME

Typically, orders (less than 15 units) are manufactured and shipped within 7-10 business days. All orders are subject to inventory availability. Orders placed after 2:00 p.m. EST are considered as next day business.

## ORDER TRACKING & ORDER STATUS

Order confirmations are sent via email within 24 hours of placing order. Please make sure you have your email on file with us. To track your order or check the status of your order, please contact [customerservice@oxford-house.com](mailto:customerservice@oxford-house.com) or call 800-533-9464 and provide them with the work order number.

## STANDARD SHIPPING & HANDLING, DELIVERY & FREIGHT POLICIES

\$8.50 for each blind

\$25.00 minimum charge per shipment

Oversize (90" and above) \$50 each blind, \$80 Minimum

For express shipment, shipment to Alaska, Hawaii and foreign countries, freight will be quoted separately. Freight collect orders and using a preferred carrier is optional.

Next Day, 2nd Day Air and 3 Day select shipping options are available - actual freight will be applied.

## FREIGHT DAMAGE & SHORTAGES

Please inspect all shipments immediately and carefully. Please report damages and shortages on the delivery receipt and notify customer service within 48 hours. No freight damage claim will be accepted after 30 days from shipping.

# COLOR CHART

**Essentials  
Collection**

**Prime  
Collection**

**Macro  
Collection**

SOLID FINISHES			
COLOR NAME	1" .006 GAUGE	1" .008 GAUGE	2" .008 GAUGE
Alabaster	G6-002	G8-002	M2-002
Antique	G6-973	G8-973	M2-973
Beige	G6-186	G8-186	-
Black	G6-048	G8-048	M2-048
Canvas	G6-830	G8-830	M2-830
Cashmere	G6-997	G8-997	-
Chalk White	G6-885	G8-885	M2-885
Dark Bronze	G6-994	G8-994	M2-994
Evening Snow	-	G8-385	-
Malibu Sand	G6-316	G8-316	-
Mercury	G6-276	G8-276	M2-276
Mushroom	G6-365	G8-365	M2-365
Pearl	G6-974	G8-974	M2-974
Pebble	G6-999	G8-999	-
Pewter Gray	G6-405	G8-405	-
Polar Bear	G6-116	G8-116	M2-116
Pure White	G6-125	G8-125	-
Raw Umber	G6-887	G8-887	M2-887
Sand	G6-310	G8-310	M2-310
Seattle Gray	G6-860	G8-860	-
Smokey Gray	G6-443	G8-443	-
Squirrel Gray	G6-998	G8-998	M2-998
U.N. Gray	-	G8-870	M2-870
Vanilla	-	G8-148	M2-148
White	G6-990	G8-990	M2-990
White Cap	G6-113	G8-113	-

PREMIUM FINISHES			
COLOR NAME	1" .006 GAUGE	1" .008 GAUGE	2" .008 GAUGE
Bright Aluminum	G6-190	G8-190	M2-190
Brushed Aluminum	G6-034	G8-034	M2-034
Brushed Aluminum Perforated	-	G8-034P	-
Brushed Nickel Texture	-	G8-262	-
Brushed Patina	G6-996	G8-996	-
Café Noir	G6-993	G8-993	-
Champagne Mist	-	G8-995	-
China Blue	G6-637	G8-637	-
Copperite	-	G8-915	-
Dark Bronze Perforated	-	G8-994P	-
Garnet Red	G6-275	G8-275	-
Low Gloss Black	G6-892	G8-892	M2-892
Matte Alabaster	G6-991	G8-991	-
Matte Mushroom	G6-992	G8-992	-
Quartz	-	G8-1392	-
Rich Earth	-	G8-384	M2-384
Royal Navy	G6-685	G8-685	-
Sherwood Green	G6-590	G8-590	-
Snow Gloss	G6-110	G8-110	-
Sprig	G6-919	G8-919	-

*For Premium Finishes, a surcharge will be applied. Please refer to the price chart for more information.*

# // Aluminum Blinds - Cordless

ORDERING KEY	
Style	Code
1"	G6+Color #

## • Essentials (G6)

WIDTH TO:	24	30	36	42	48	54	60	72	84	96	108	120
HEIGHT TO:												
24"	222	233	248	264	289	317	331	408	418	472	680	856
30"	248	251	272	286	298	324	343	418	425	553	706	891
36"	270	281	292	309	319	343	347	426	452	564	748	951
48"	279	290	301	317	328	351	362	444	466	588	766	985
60"	283	297	315	330	342	366	383	464	496	569	829	1018
72"	292	305	324	343	360	384	411	472	510	660	867	1093
84"	365	388	414	436	459	476	513	585	630	770	959	1188

Aluminum blinds feature a deluxe integrated headrail, installed with hidden brackets or optional box brackets.

OPTIONS: EXTRA CHARGE	
• Channel Valance .....	<b>add \$15</b>
• Premium Finishes.....	<b>add 10%</b>

OPTIONS: NO EXTRA CHARGE	
• 2 On 1 Headrail (price as separate blinds)	
• Wand Control – either Left or Right	
• Hold-Down Brackets	
• Spacer Blocks	
• Tile Cut-Out (only available for blinds over 31", maximum width 1" on each side)	
• Optional Wand Lengths (refer to page 7)	
• Color Coordinated Installation Box Bracket (Refer to page 6)	

SIZE SPECIFICATIONS - Essentials .006 Gauge	
Slat width	1"
Minimum width (NET)	10-1/2"
Minimum height	12"
Maximum width of a single blind	120"
Maximum height	84"
Maximum width with two on one headrail	144"
10-1/2" - 12-3/8" Center Tilt only (No Lift) 12-1/2" or greater L or R Tilt only	

# // Aluminum Blinds – Cordless

ORDERING KEY	
Style	Code
1"	G8+Color #

• Prime (G8)

WIDTH TO:	24	30	36	42	48	54	60	72	84	96	108	120
HEIGHT TO:												
24"	298	308	324	340	364	394	407	485	468	549	757	932
30"	324	327	349	362	374	399	418	494	487	629	782	967
36"	345	357	368	385	395	419	422	502	528	640	825	1,027
48"	355	365	377	392	404	426	437	519	542	664	842	1,061
60"	360	373	391	406	418	442	457	540	572	645	905	1,094
72"	368	381	400	419	436	460	487	549	585	736	942	1,169
84"	440	464	490	512	535	553	589	661	706	846	1,035	1,264

Aluminum blinds feature a deluxe integrated headrail, installed with hidden brackets or optional box brackets.

OPTIONS: EXTRA CHARGE	
• Channel Valance .....	<b>add \$15</b>
• Premium Finishes.....	<b>add 10%</b>

OPTIONS: NO EXTRA CHARGE	
• 2 On 1 Headrail (price as separate blinds)	
• Wand Control – either Left or Right	
• Hold-Down Brackets	
• Extension Brackets	
• Spacer Blocks	
• Tile Cut-Out (only available for blinds over 31", maximum width 1" on each side)	
• Optional Wand Lengths (refer to page 7)	
• Color Coordinated Installation Box Bracket (Refer to page 6)	

SIZE SPECIFICATIONS - Prime .008 Gauge	
Slat width	1"
Minimum width (NET)	10-1/2"
Minimum height	12"
Maximum width of a single blind	120"
Maximum height	84"
Maximum width with two on one headrail	144"
10-1/2" - 12-3/8" Center Tilt only (No Lift) 12-1/2" or greater L or R Tilt only	

# // Aluminum Blinds – Cordless

ORDERING KEY	
Style	Code
2"	M2+Color #

## • Macro 2" with Channel Valance (M2)

WIDTH TO:	24	30	36	42	48	54	60	72	84	96	108	120
HEIGHT TO:												
24"	271	283	302	321	351	387	404	498	478	559	825	1040
30"	302	305	332	349	364	395	418	510	501	657	857	1083
36"	323	342	355	377	388	419	422	520	551	671	909	1155
48"	334	353	366	387	400	428	441	540	568	701	931	1197
60"	346	362	379	403	418	448	466	566	604	678	1006	1237
72"	350	373	395	419	438	468	501	577	622	788	1052	1328
84"	444	472	505	531	559	581	626	714	769	923	1166	1443

OPTIONS: EXTRA CHARGE
• Premium Finishes..... add 10%

OPTIONS: NO EXTRA CHARGE
• 2 On 1 Headrail (price as separate blinds)
• Wand Control – either Left or Right
• Hold-Down Brackets
• Spacer Blocks
• Tile Cut-Out (only available for blinds over 31", maximum width 1" on each side)
• Optional Wand Lengths (refer to page 7)

SIZE SPECIFICATIONS - Macro .008 Gauge	
Slat width	2"
Minimum width (NET)	10-1/2"
Minimum height	12"
Maximum width of a single blind	120"
Maximum height	84"
Maximum width with two on one headrail	144"
10-1/2" - 12-3/8" Center Tilt only (No Lift) 12-1/2" or greater L or R Tilt only	


## FEATURES AND OPTIONS

	Essentials Collection	Prime Collection	Macro Collection
	1"	1"	2"
# of Colors	36	46	20
Slat Gauge	0.006	0.008	0.008
Headrail Size	1-1/4" X 1-1/2"	1-1/4" X 1-1/2"	2-1/4" X 1-1/2"
Headrail Gauge	0.024	0.024	0.024
Bottomrail	1-1/2" x 1-1/8"	1-1/2" x 1-1/8"	2" x 1-1/8"
Cord Size	1.4 mm	1.4 mm	1.4 mm
Ladder Spacing	22 mm	22 mm	42 mm
Wand	Clear, Standard	Clear, Standard	Clear, Standard
<b>OPTIONS</b>			
2 on 1 Headrail	✓	✓	✓
Control Positions (L or R)	✓	✓	✓
Box Brackets	✓	✓	✓
Hidden Brackets	✓	✓	✓
Dust Resistant Finish	✓	✓	✓
Channel Valance	✓	✓	✓
Integrated Valance	✓	✓	✓
Heavy Duty Headrail			✓
Push Button Bottomrail	✓	✓	✓
Hold-down Brackets	✓	✓	✓
Spacer Blocks*	✓	✓	✓
Tile Cut-Out**	✓	✓	✓

\* Used for outside mount blinds only to clear obstructions, such as window moldings.

\*\* Tilt Cut-Outs are only available for blinds over 31", maximum 1" on each side.

### INTEGRATED VALANCE



### HIDDEN BRACKET INSTALLATION

Hidden Installation Brackets




### CHANNEL VALANCE



### BOX BRACKET INSTALLATION

Box Installation Brackets





# PRODUCT SPECIFICATIONS

SIZE SPECIFICATIONS	Essentials / Prime Collections	Macro Collection
	1" .006 GAUGE / .008 GAUGE	2" .008 GAUGE
Slat width	1"	2"
Minimum width (NET)	10-1/2"	10-1/2"
Minimum height	12"	12"
Maximum width of a single blind	120"	120"
Maximum height	84"	84"
Maximum width 2 on 1 headrail	144"	144"
Center tilt only - Net Width	10 1/2" to 12-3/8"	10 1/2" to 12-3/8"
Left or right tilt only - Net width	12-1/2" or greater	12-1/2" or greater

FINISHED DIMENSIONS	1" .006 GAUGE / .008 GAUGE	2" .008 GAUGE
	Inside Mount (IB) Headrail	- 1/2"
Inside Mount (IB) Slat	- 1/2"	- 1/2"
Outside Mount (OB) Headrail	Ordered Width	- 1/4"
Outside Mount (OB) Slat	Ordered Width	Ordered Width
Blind Height	Ordered Height	Ordered Height

\*\*NOTE: Measurements represent difference of total headrail or slat width (including endcaps) from ordered width

MOUNTING REQUIREMENTS	1" .006 GAUGE / .008 GAUGE			2" .008 GAUGE		
	Inside Mount Minimum Depth	Inside Mount Flush	Outside Mount (Wall Surface)	Inside Mount Minimum Depth	Inside Mount Flush	Outside Mount (Wall Surface)
No Valance						
Hidden Bracket	7/8"	1-3/4"	5/8"	n/a	n/a	n/a
Box Bracket	1"	1-3/4"	1-3/8"	n/a	n/a	n/a
With Valance						
Hidden Bracket	7/8"	2-1/4"	5/8"	n/a	n/a	n/a
Box Bracket	1"	2-1/4"	1-3/8"	1-1/8"	2-7/8"	1-3/4"

STACKING HEIGHTS	1" .006 GAUGE / .008 GAUGE		2" .008 GAUGE	
	Blind Height			
Stacks to:				
36"		3-7/8"		5-1/4"
48"		4-1/4"		5-1/2"
60"		4-5/8"		5-3/4"
72"		5"		6"
84"		5-3/8"		6-1/4"

Return Lengths	1" .006 GAUGE / .008 GAUGE		2" .008 GAUGE	
	Inside Mount	No Returns		No Returns
Outside Mount	1-3/4"		2-7/8"	

## WAND LENGTHS

1" Blinds	
Wand Length	Blind Height
12"	12" to 22"
20"	22-1/8" to 37"
30"	37-1/8" to 52"
40"	52-1/8" to 67"
50"	67-1/8" to 82"
60"	82-1/8" to 84"

Optional Lengths: 70", 78", 90"

2" Blinds	
Wand Length	Blind Height
12"	12" to 24"
20"	24-1/8" to 36"
24"	36-1/8" to 48"
36"	48-1/8" to 60"
48"	60-1/8" to 75"
60"	75-1/8" to 84"

Optional Lengths: 72" and 84"

## LADDER PLACEMENT

1" Blinds	
Finished Width	# of Ladders
Up to 36"	2
36-1/8" to 60"	3
60-1/8" to 84"	4
84-1/8" to 108"	5
108-1/8" to 120"	6

2" Blinds	
Finished Width	# of Ladders
Up to 46-1/2"	2
46-5/8" to 80-1/2"	3
80-5/8" to 114-1/2"	4
114-5/8" to 120"	5

## CONTROL LOCATIONS

	Width (Net)	Single Blind	2 on 1 (Left Blind)	2 on 1 (Right Blind)
		1" Metals	10-1/2" to 12-3/8" 12-1/2" or greater	C (Only)
		L or R		

	Width (Net)	Single Blind	2 on 1 (Left Blind)	2 on 1 (Right Blind)
		2" Metals	10-1/2" to 12-3/8" 12-1/2" or greater	Center Tilt Only
		L or R		

---

## LIMITED PRODUCT WARRANTY

---

Turnils North America (“we” or “Turnils”) warrant to its direct fabricator/ retailer customer that Turnils finished blinds and shades will be free from defects in materials and workmanship for a period of 10 years from the date of purchase (or such shorter period as is provided below), provided such products were properly installed and maintained as per our installation instructions and not modified in any way. We will repair or replace, at our option, a defective product after it is returned to Turnils. Such repair or replacement shall be the customer’s sole remedy.

Natural materials, especially wood, can have a tendency to warp when exposed to the elements. This is considered normal wear and tear and is not covered by this warranty.

Repairs and replacements will be made with like or similar parts or products. We will do our best to match the repair or replacement with similar parts or products, but colors may vary and we cannot guarantee an exact match from previous purchases or to other non-defective existing products, even if they are in or near the same opening. If the product, part/ component, or operating system has been discontinued, we will repair or replace only the defective product with the most similar alternative available at the time of repair or replacement.

### WHAT IS COVERED

- This warranty covers our products for defects in materials, mechanisms, workmanship, and failure to operate for a period of 10 years from the date of original purchase (unless shorter periods are provided in the chart below)
- All internal mechanisms, components, and brackets
- Fabric delamination
- Turnils will provide a return shipping label for products less than 12 months old.

Product/ Components	Period of Coverage (from date of purchase)
All operational cords, ladders and tapes	7 Years
Motorization components and accessories* (batteries not included)	5 Years
Specialty Shades	1 Year

\*All motorization components must be purchased from Turnils to be covered by our warranty.

### WHAT IS NOT COVERED

- Any conditions caused by normal wear and tear on the product.
- Abuse, accidents, misuse, or alterations to the product.
- Exposure to the elements (e.g., sunlight, salt air, wind, water/moisture, high humidity, or corrosive materials) which may cause discoloration, fading, cracking, shrinking, stretching, or warping over time.
- Failure to follow our instructions with respect to measurement, proper installation, cleaning, operation of the product, or maintenance.
- Labor costs associated with removal and reinstallation.
- Shipments will be at the purchaser’s expense for all products more than 12 months old.

### To Obtain Warranty Service:

- Contact your Turnils Sales Representative for warranty assistance.
- Contact Turnils at [atl.orders@turnils.com](mailto:atl.orders@turnils.com) for technical support, availability of parts, for assistance in obtaining warranty service, or for further explanation of our warranty.

NOTE: This limited warranty extends only to Turnils direct fabricator/retailer customer and not to the consumer purchases of the product. EXCEPT AS EXPRESSLY PROVIDED IN THIS PARAGRAPH, TURNILS MAKES NO REPRESENTATIONS OR WARRANTIES OF ANY KIND, NATURE OR DESCRIPTION, EXPRESS OR IMPLIED, INCLUDING WITHOUT LIMITATION ANY WARRANTY OF MERCHANTABILITY OR FITNESS OF ANY PRODUCTS FOR ANY PARTICULAR PURPOSE, AND HEREBY DISCLAIMS THE SAME. In no event shall Turnils be liable or responsible for INCIDENTAL OR CONSEQUENTIAL DAMAGES or for any other direct or indirect damage, loss, cost, expense or fee. Some states do not allow the exclusion of limitation of incidental or consequential damages, so this exclusion or limitation may not apply to you. This warranty gives you specific legal rights, and you may also have other rights which vary from State to State. This warranty is limited to blinds, shades, and shutters installed in residential dwellings but, again, extends only to Turnils’s direct fabricator/retailer customer and not to the consumer purchaser.



# ALUMINUM BLIND ORDER FORM

DATE \_\_\_\_\_ P.O. NO. \_\_\_\_\_

SIDEMARK \_\_\_\_\_

ACCOUNT #
COMPANY NAME
ADDRESS
CITY/STATE/ZIP

SHIP TO COMPANY
ATTN
ADDRESS
CITY/STATE/ZIP

ALL SHIPPING ADDRESS MUST HAVE AN ATTN TO:

**SPECIAL INSTRUCTIONS:**

LINE	QTY	IB OR OB	WIDTH	LENGTH	FABRIC INFORMATION		Hold- downs	OPTIONS, IF ANY
					COLOR NAME	COLOR #		
1								
2								
3								
4								
5								
6								
7								
8								
9								

EMAIL sales@oxford-house.com Or Fax to 765-884-3274

ORDERED BY \_\_\_\_\_

Custom orders cannot be canceled once they are in production.